## Regular Town Board Meeting April 8, 2019 7:00pm

## Minutes

**Board Members Present:** John Bauer, Jan Kaiser, Jim Aue, Steve Seidl, Richard Austin

- 1. The meeting was called to order at 7:05 pm by Chairman John Bauer.
- 2. Minutes from the Mar 4, 2019 Board meeting were read with no additions or corrections. Motion made by SSeidl, seconded by RAustin to accept the minutes as read, motion carried.
- 3. The Treasurer's report was distributed and bills approved for payment.
- 4. Jennifer Howen from Rural Insurance presented the renewal insurance policy and premiums. She will be sending some additional information before Board approval. She will be presenting the renewal information to the Fire Department on April 16<sup>th</sup>.
- 5. Discussion was held regarding the Town Landfill Property. It was decided we would put the security cable over the driveway and keep it locked.
- 6. The Assessor Contract was reviewed and approved. SSeidl made a motion to approve, RAustin approved, motion carried.
- 7. Recycling was discussed. Jim Aue will check into the possibility of billing ahead to cover the costs and will also work on a letter to send out to all property owners.
- 8. 2019 road work was discussed. Possible projects include North Road Culverts, chip sealing on North Road, crack sealing Yellowstone. Scott Construction supplied a quote for crack sealing on Yellowstone. Motion was made by RAustin, seconded by SSeidl to approve the Scott Construction quote, motion carried.
- 9. Al Breu submitted his new fees for building inspections. He has raised his fees from \$400 to \$500 for all size homes. Motion was made by SSeidl, seconded by RAustin, motion carried.
- 10. Communications from the Town Clerk included:
  - Spring election results 262 voters.
- 11. Annual Meeting is 4/16/2020
- 12. There was no public input.

Next Regular Board Meeting is scheduled for May 6, 2019 at 7:00pm.

Motion was made by JBauer, seconded by SSeidl to adjourn at 8:35p.m, motion carried.

Respectfully submitted, Jan Kaiser, Clerk